

Viewsonic 55-INCH 4K UHD Digital signage flat panel 139.7 cm (55") LED Wi-Fi 290 cd/m² 4K Ultra HD Black Built-in processor 16/7

Brand : Viewsonic

Product code: CDE5512-E1

Product name : 55-INCH 4K UHD



- All-in-one solution includes CDE5512 display and wall mount
- Powerful ViewSonic Embedded Signage Platform (VESP)
- Integrated RJ45 and USB Wi-Fi
- ViewBoard Cast content sharing software
- myViewBoard Display app for remote screen sharing

55", 3840 x 2160, 16:9, IPS, 290 cd/m², Dual-core G52MP2, 1.5GHz, 2GB DDR4, 16GB eMMC, Speakers, HDMI, USB Type-C, RS232, RJ45, VESA

Viewsonic 55-INCH 4K UHD. Product design: Digital signage flat panel. Display diagonal: 139.7 cm (55"), Display technology: LED, Display resolution: 3840 x 2160 pixels, Display brightness: 290 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 16/7. Product colour: Black



Display		Performance	
LED backlighting type	Direct-LED	Operating hours (hours/days)	16/7
Display diagonal *	139.7 cm (55")	Power	
Display technology *	LED	Power consumption (typical) *	100 W
Display resolution *	3840 x 2160 pixels	Power consumption (standby) *	0.5 W
Display brightness *	290 cd/m²	AC input voltage	100 - 240 V
HD type *	4K Ultra HD	AC input frequency	50 - 60 Hz
Touchscreen *	✗	Computer system	
Native aspect ratio	16:9	Computer system *	✓
Response time	8 ms	Computer system type	System on Chip (SoC)
Contrast ratio (typical)	1200:1	Built-in processor *	✓
Contrast ratio (dynamic)	5000:1	Processor manufacturer	ARM
Viewing angle, horizontal	178°	Processor family	ARM Cortex
Viewing angle, vertical	178°	Processor model	A53
Display number of colours	1.07 billion colours	Processor frequency	1.5 GHz
Display diagonal (metric)	139.7 cm	Processor cores	4
Haze rate	2%	Internal memory	2 GB
Surface hardness	3H	Internal storage capacity	16 GB
Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	2	Width	1243.7 mm
HDMI version	2.0	Depth	79.8 mm
HDMI input ports quantity	2	Height	722.3 mm
DVI port *	✗	Weight	12.9 kg
VGA (D-Sub) input ports	1	Packaging data	
USB port *	✓	Package width	1328 mm
USB ports quantity	2	Package depth	180 mm
USB version	2.0	Package height	786 mm
Ethernet LAN (RJ-45) ports	1	Package weight	18.4 kg
RS-232 interface	✓		

Audio		Packaging content	
Built-in speaker(s) *	✓	Remote control included	✓
Number of built-in speakers	2	Batteries included	✓
RMS rated power	10 W	Cables included	AC, HDMI, RS-232
Design		Operational conditions	
Product design *	Digital signage flat panel	Operating temperature (T-T)	0 - 40 °C
Placement supported *	Indoor	Operating relative humidity (H-H)	20 - 80%
Product colour *	Black	Network	
VESA mounting *	✓	Ethernet LAN *	✓
Panel mounting interface	200 x 200 mm	Wi-Fi *	✓
Anti-glare screen	✓	Technical details	
Performance		Sustainability certificates	ENERGY STAR
Purpose *	Commercial	Compliance certificates	RoHS

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.