



EIZO ColorEdge CS2740-Photo computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LED Black

Brand : EIZO

Product family: ColorEdge

Product code: 22085

Product name : CS2740-Photo

- Simple and Precise Color Management
- Color Accuracy
- Stable Image Display
- User-Friendly Design
- Comfort and Ease-of-Use
- Commitment to Quality
- Use by Professional Creatives Worldwide

27", LED, 3840 x 2160, 4K-UHD, 350 cd/m², 1000:1, 10 ms, USB-C, Display Port, HDMI, VESA 100 x 100, 36 W, B

EIZO ColorEdge CS2740-Photo computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LED Black:

With 4K UHD (3840 x 2160), a spacious 27-inch screen, and USB Type-C connectivity, this monitor facilitates a detail-oriented, comfortable, and streamlined workflow ideal for any creative field. Whether it be photography, video editing, or design, this monitor gives you everything you need to keep imagination flowing.

EIZO ColorEdge CS2740-Photo. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Response time: 10 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	VESA mounting *	✓
Display resolution *	3840 x 2160 pixels	Panel mounting interface	100 x 100 mm
HD type *	4K Ultra HD	Height adjustment *	✓
Native aspect ratio *	16:9	Adjustable height (max)	15.5 cm
Display technology *	LED	Pivot	✓
Panel type *	IPS	Pivot angle	0 - 90°
Backlight type	LED	Swivelling	✓
Touchscreen *	✗	Swivel angle range	0 - 344°
Display brightness (typical)	350 cd/m²	Tilt adjustment	✓
Response time *	10 ms	Tilt angle range	-5 - 35°
Screen shape *	Flat	On Screen Display (OSD)	✓
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1600 x 1200 (UXGA), 1680 x 1050 (WSXGA+), 1920 x 1200 (WUXGA), 2560 x 1440, 2560 x 1600 (WQXGA), 3840 x 2160	On Screen Display (OSD) languages	German, English, Spanish, French, Italian, Japanese
		Number of OSD languages	8
		Power	
Supported video modes	480i, 576p, 720p, 1080i, 1080p	Power consumption (typical) *	36 W
Contrast ratio (typical) *	1000:1	Power consumption (standby) *	1 W
Maximum refresh rate *	60 Hz	Power consumption (off)	0 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50 - 60 Hz
Display number of colours *	1.073 billion colours	Annual energy consumption	62 kWh
Pixel pitch	0.155 x 0.155 mm	Operational conditions	
Pixel density	164 ppi	Operating temperature (T-T)	0 - 35 °C
Viewable size, horizontal	59.6 cm	Operating relative humidity (H-H)	20 - 80%
Viewable size, vertical	33.5 cm	Weight & dimensions	
Digital horizontal frequency	15 - 135 kHz	Width (with stand)	638 mm
Digital vertical frequency	23 - 61 Hz	Depth (with stand)	265 mm
Performance		Height (with stand)	559 mm
Flicker-free technology	✓	Weight (with stand)	10.3 kg

Design		Weight & dimensions	
Market positioning *	Graphics design	Width (without stand)	638 mm
Product colour *	Black	Depth (without stand)	75 mm
Ports & interfaces		Height (without stand)	378.2 mm
Built-in USB hub *	✓	Weight (without stand)	6.7 kg
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Packaging content	
Number of upstream ports	2	Stand included	✓
USB Type-A downstream ports quantity	4	Cables included	AC, DisplayPort, USB Type-C
USB Type-C DisplayPort Alternate Mode	✓	Other features	
USB Power Delivery up to	60 W	Energy efficiency class (legacy scale)	B
DVI port	✗	Compliance certificates	RoHS
HDMI *	✓	Certification	CB, CE, TÜV / GS, TÜV / Ergonomie, TÜV / Color Accuracy (Quick Stability), FograCert Softproofing System (class A, cTÜVus, TÜV / S,
HDMI version	1.4		EAC, PSE, FCC-B, ICES-003-B (CAN) ,
DisplayPorts quantity	1		RCM, VCCI-B, CCC, RoHS, China
DisplayPort version	1.3		RoHS, WEEE
HDCP	✓		



0690592048650



690592048650

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.