



D-Link 24-port 10GBASE-T + 4-port 10/25G SFP28 Smart Managed Switch



Brand : D-Link

Product code: DXS-1210-28T

Product name : D-Link 24-port 10GBASE-T + 4-port 10/25G SFP28 Smart Managed Switch

- Access Control List
- IP-MAC-Port Binding
- Clientless MAC/Web Access Control
- D-Link Safeguard Engine
- Port Security
- ARP Spoofing Prevention

DXS-1210-28T - 24 x 10GBASE-T, 4 x 10/25G SFP28

D-Link 24-port 10GBASE-T + 4-port 10/25G SFP28 Smart Managed Switch. Switch type: Managed, Switch layer: L2/L3. Basic switching RJ-45 Ethernet ports type: 10G Ethernet (100/1000/10000), Basic switching RJ-45 Ethernet ports quantity: 24, Console port: RJ-45. MAC address table: 32000 entries, Switching capacity: 680 Gbit/s. Networking standards: IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3an, IEEE 802.3az, IEEE 802.3u, IEEE 802.3z. Rack mounting, Form factor: 1U

Management features		Security	
Switch type *	Managed	Access Control List (ACL) rules	256
Switch layer	L2/L3	IGMP snooping	✓
Quality of Service (QoS) support	✓	Protocols	
Web-based management	✓	Management protocols	SNMP v1/v2c/v3
Ports & interfaces		GARP VLAN Registration Protocol (GVRP)	✓
Basic switching RJ-45 Ethernet ports quantity *	24	Design	
Basic switching RJ-45 Ethernet ports type *	10G Ethernet (100/1000/10000)	Rack mounting *	✓
10G Ethernet (copper) ports quantity	24	Form factor	1U
Console port	RJ-45	Product colour	Black
SFP28 ports quantity	4	LED indicators	Activity, Link, Speed
Network		Number of fans	2 fan(s)
Networking standards *	IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3an, IEEE 802.3az, IEEE 802.3u, IEEE 802.3z	Performance	
Cable types supported	Cat6, Cat6a, Cat7	Noise level	51.9 dB
Port mirroring	✓	Power	
Flow control support	✓	AC input voltage	100 - 240 V
Link aggregation	✓	Power consumption (max)	87.3 W
Auto MDI/MDI-X	✓	Power over Ethernet (PoE)	
Spanning tree protocol	✓	Power over Ethernet (PoE) *	✗
VLAN support	✓	Operational conditions	
Number of VLANs	4094	Operating temperature (T-T)	-5 - 50 °C
Data transmission		Storage temperature (T-T)	-20 - 70 °C
Switching capacity *	680 Gbit/s	Operating relative humidity (H-H)	0 - 95%
Forwarding rate	505.92 Mpps	Storage relative humidity (H-H)	0 - 95%
MAC address table *	32000 entries	Weight & dimensions	
Store-and-forward	✓	Width	441 mm
Jumbo frames support	✓	Depth	209.5 mm
Jumbo frames	9000	Height	44 mm
Security		Weight	3.07 kg
Access Control List (ACL)	✓	Certificates	
		Certification	CE Class A FCC Class A VCCI Class A IC BSMI

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------



0790069456800



790069456800

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.