



DELL PowerEdge R260 server 480 GB Rack (1U) Intel® Xeon® 6315P 2.8 GHz 16 GB DDR5-SDRAM 450 W

Brand : DELL

Product family: PowerEdge

Product code: XV2P3



Product name : R260

- No OS

- Intel Xeon 6315P (12MB Cache, 2.8GHz)

- 16GB DDR5-SDRAM & 480GB SSD

- iDRAC9, Enterprise 16G

Intel Xeon 6315P (12MB Cache, 2.8GHz), 16GB DDR5-SDRAM, 480GB SSD, LAN, PERC H355 Adapter LP, iDRAC9, Enterprise 16G, 450W, No OS

DELL PowerEdge R260 server 480 GB Rack (1U) Intel® Xeon® 6315P 2.8 GHz 16 GB DDR5-SDRAM 450 W:


The 1U, single-socket Dell PowerEdge R260 is a short-depth form factor for customers desiring flexibility, affordability and processing power.

DELL PowerEdge R260. Processor family: Intel® Xeon®, Processor frequency: 2.8 GHz, Processor model: 6315P. Internal memory: 16 GB, Internal memory type: DDR5-SDRAM. Total storage capacity: 480 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 450 W. Chassis type: Rack (1U)



Processor		Design	
Processor manufacturer *	Intel	Chassis type *	Rack (1U)
Processor family *	Intel® Xeon®	Product colour	Black
Processor model *	6315P	Performance	
Processor frequency *	2.8 GHz	Remote administration	iDRAC9, Enterprise 16G
Processor boost frequency	4.7 GHz	Trusted Platform Module (TPM)	✓
Performance cores	4	Software	
Processor cores	4	Operating system installed *	✗
Processor cache	12 MB	Compatible operating systems *	
Number of processors installed	1	Canonical Ubuntu Server LTSMicrosoft Windows Server with Hyper-VRed Hat Enterprise LinuxSUSE Linux Enterprise ServerVMware ESXi	
Thermal Design Power (TDP)	65 W	Power	
Processor threads	4	Redundant power supply (RPS) support *	✗
Memory types supported by processor	DDR5-SDRAM	Power supply *	450 W
Memory clock speeds supported by processor	4800 MHz	Number of main power supplies	1
Memory		Power supply input voltage	100 - 240 V
Internal memory *	16 GB	Operational conditions	
Internal memory type *	DDR5-SDRAM	Storage temperature (T-T)	-40 - 65 °C
Buffered memory type	Unregistered (unbuffered)	Storage relative humidity (H-H)	5 - 95%
Memory slots	4x DIMM	Operating altitude	0 - 3048 m
ECC	✓	Non-operating altitude	0 - 12000 m
Memory data transfer rate	5600 MT/s	Certificates	
Maximum internal memory *	128 GB	80 PLUS certification	80 PLUS Platinum
Storage		Carbon footprint	
Total storage capacity *	480 GB	Total carbon footprint (kg of CO2e)	
Number of SSDs installed	1	950	
SSD capacity	480 GB		
SSD interface	SATA III		

Storage		Carbon footprint	
SSD size	2.5"	Total carbon emissions, standard deviation (kg of CO2e)	711
Supported SSD sizes	2.5"	Carbon emissions, manufacturing (kg of CO2e)	304
Number of SSDs supported	6	Carbon emissions, logistics (kg of CO2e)	95
RAID support *	✓	Carbon emissions, energy usage (kg of CO2e)	541.5
Supported RAID controllers	PERC H355 Adapter LP	Carbon emissions, end-of-life (kg of CO2e)	9.5
Hot-Plug support	✓	PAIA version	PAIA 1.3.2, 2024
Optical drive type *	✗	Weight & dimensions	
Drive writes per day (DWPD)	1	Width	482 mm
Graphics		Height	42.8 mm
On-board graphics card	✗	Packaging content	
On-board graphics card model	Not available	Packaging content	Riser Config 1 NEMA 5-15P to C13 Wall Plug, 125 Volt, 15 AMP, 10 Feet (3m)
Network		Other features	
Ethernet LAN	✓	Data transfer rate	6 Gbit/s
Cabling technology	10/100/1000Base-T(X)	Bytes per sector	512e
Ethernet interface type	Gigabit Ethernet	Target workload	Read Intensive (RI)
Ports & interfaces			
Ethernet LAN (RJ-45) ports *	2		
USB 2.0 ports quantity	2		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1		
VGA (D-Sub) ports quantity	1		
Serial ports quantity	1		



0884116481737



884116481737

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.