



DELL PowerEdge T160 server 480 GB Tower (3U) Intel® Xeon® 6315P 2.8 GHz 16 GB DDR5-SDRAM 300 W

Brand : DELL

Product family: PowerEdge

Product code: YTY3W

Product name : T160

- No OS

- Intel Xeon 6315P (12MB Cache, 2.8GHz)

- 16GB DDR5-SDRAM & 480GB SSD

- iDRAC9, Enterprise 16G

Intel Xeon 6315P (12MB Cache, 2.8GHz), 16GB DDR5-SDRAM, 480GB SSD, LAN, PERC H355 Adapter LP, iDRAC9, Enterprise 16G, 300W, No OS

DELL PowerEdge T160 server 480 GB Tower (3U) Intel® Xeon® 6315P 2.8 GHz 16 GB DDR5-SDRAM 300 W:


The single-socket Dell PowerEdge T160 is a small chassis tower server for customers desiring flexibility, affordability and processing power.

DELL PowerEdge T160. Processor family: Intel® Xeon®, Processor frequency: 2.8 GHz, Processor model: 6315P. Internal memory: 16 GB, Internal memory type: DDR5-SDRAM. Total storage capacity: 480 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 300 W, Redundant power supply (RPS) support. Chassis type: Tower (3U)



Processor		Ports & interfaces	
Processor manufacturer *	Intel	USB 2.0 ports quantity	3
Processor family *	Intel® Xeon®	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
Processor model *	6315P	VGA (D-Sub) ports quantity	1
Processor frequency *	2.8 GHz	Serial ports quantity	1
Processor boost frequency	4.7 GHz	Design	
Performance cores	4	Chassis type *	Tower (3U)
Processor cores	4	Product colour	Grey
Processor cache	12 MB	Performance	
Number of processors installed	1	Remote administration	iDRAC9, Enterprise 16G
Thermal Design Power (TDP)	55 W	Software	
Processor threads	4	Operating system installed *	✗
Memory types supported by processor	DDR5-SDRAM	Compatible operating systems * Canonical Ubuntu Server LTSMicrosoft Windows Server with Hyper-VRed Hat Enterprise LinuxSUSE Linux Enterprise ServerVMware ESXi	
Memory clock speeds supported by processor	4800 MHz		
Memory		Power	
Internal memory *	16 GB	Redundant power supply (RPS) support *	✓
Internal memory type *	DDR5-SDRAM	Power supply *	300 W
Buffered memory type	Unregistered (unbuffered)	Number of main power supplies	1
Memory slots	4x DIMM	Operational conditions	
ECC	✓	Storage temperature (T-T)	-40 - 65 °C
Memory data transfer rate	5600 MT/s	Storage relative humidity (H-H)	5 - 95%
Maximum internal memory *	128 GB	Operating altitude	0 - 3048 m
Storage		Non-operating altitude	0 - 12000 m
Total storage capacity *	480 GB		
Number of SSDs installed	1		
SSD capacity	480 GB		
SSD interface	SATA III		

Storage		Carbon footprint	
SSD size	2.5"	Total carbon footprint (kg of CO2e)	1182
Supported SSD sizes	3.5"	Total carbon emissions, standard deviation (kg of CO2e)	924
Number of SSDs supported	3	Carbon emissions, manufacturing (kg of CO2e)	319.14
RAID support *	✓	Carbon emissions, logistics (kg of CO2e)	130.02
Supported RAID controllers	PERC H355 Adapter LP	Carbon emissions, energy usage (kg of CO2e)	709.2
Hot-Plug support	✓	Carbon emissions, end-of-life (kg of CO2e)	23.64
Optical drive type *	✗	Weight & dimensions	
Drive writes per day (DWPD)	1	Width	132.5 mm
Storage drive adapter included	✓	Height	332.5 mm
Storage drive adapter type	2.5" - 3.5"	Packaging content	
Graphics		Packaging content	NEMA 5-15P to C13 Wall Plug, 125 Volt, 15 AMP, 10 Feet (3m), Power Cord, North America
On-board graphics card	✗	Other features	
On-board graphics card model	Not available	Data transfer rate	6 Gbit/s
Network		Bytes per sector	512e
Ethernet LAN	✓	Target workload	Read Intensive (RI)
Cabling technology	10/100/1000Base-T(X)		
Ethernet interface type	Gigabit Ethernet		
Ports & interfaces			
Ethernet LAN (RJ-45) ports *	2		



0884116481690



884116481690

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.