



BenQ LU950 Standard throw projector 5000 ANSI lumens DLP WUXGA (1920x1200) 3D White

Brand : BenQ

Product code: 9H.JJ677.15E

Product name : LU950

DLP, 5000 Lumens, 1920x1200, 16:10, RMS 10W

BenQ LU950. Projector brightness: 5000 ANSI lumens, Projection technology: DLP, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h. Focus: Manual, Focal length range: 14.3 - 22.9 mm, Aperture range (F-F): 1.81 - 2.1. Analog signal format system: NTSC, PAL, SECAM, Supported 3D formats: Frame packing, Side by side, Top and bottom, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1200 (WUXGA). Serial interface type: RS-232



Projector		Storage	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Optical disc player type	Not included
Projector brightness *	5000 ANSI lumens	Features	
Projection technology *	DLP	Noise level (economic mode)	35 dB
Projector native resolution *	WUXGA (1920x1200)	HDCP	✓
Contrast ratio (typical) *	100000:1	On Screen Display (OSD)	✓
Native aspect ratio *	16:10	On Screen Display (OSD) languages	Arabic, Bulgarian, Simplified Chinese, Traditional Chinese, Croatian, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hindi, Indonesian, Italian, Japanese, Korean, Norwegian, Persian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Vietnamese
Number of colours	1.073 billion colours		
Horizontal scan range	15 - 102 kHz	Noise level *	37 dB
Vertical scan range	24 - 120 Hz	Air filter	✓
Keystone correction, horizontal	-30 - 30°	Certification	IP5X
Keystone correction, vertical	-30 - 30°	Multimedia	
Matrix size	1.19 cm (0.47")	Built-in speaker(s) *	✓
Matrix type	DMD	RMS rated power	10 W
Light source		Number of built-in speakers	1
Light source type *	Laser	Design	
Service life of light source *	20000 h	Market positioning *	Presentation
Lens system		Product type *	Standard throw projector
Focus *	Manual	Product colour *	White
Focal length range	14.3 - 22.9 mm	Placement	Desktop, Ceiling
Aperture range (F-F)	1.81 - 2.1	LED indicators	✓
Zoom capability	✓	Cable lock slot	✓
Zoom type	Manual	Cable lock slot type	Kensington
Zoom ratio	1.6:1	Power	
Throw ratio	1.36 - 2.18:1	Power source *	AC
Horizontal lens shift range	-23 - 23%	Power consumption (typical) *	475 W
Vertical lens shift range	-60 - 60%	Power consumption (standby) *	0.5 W
Video		Power consumption (max)	530 W
Analog signal format system *	NTSC, PAL, SECAM	Power consumption (network standby)	2 W
Full HD *	✓		
3D *	✓		
Supported 3D formats	Frame packing, Side by side, Top and bottom		
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)		

Video		Power	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power consumption (economy mode)	365 W
Ports & interfaces		AC input voltage	100 - 240 V
S-Video inputs quantity	1	AC input frequency	50 - 60 Hz
HDBaseT port	✓	Auto power off	✓
USB 2.0 ports quantity	1	Operational conditions	
Mini-USB 2.0 ports quantity	1	Operating temperature (T-T)	0 - 40 °C
Audio (L/R) in *	1	Storage temperature (T-T)	-20 - 60 °C
Headphone outputs	1	Operating relative humidity (H-H)	10 - 90%
Microphone in	✓	Storage relative humidity (H-H)	10 - 90%
Serial interface type *	RS-232	Operating altitude	0 - 3000 m
PC in (D-Sub)	✓	Certificates	
VGA (D-Sub) ports quantity *	2	HDBaseT certified	✓
HDMI ports quantity *	4	Weight & dimensions	
Composite video in *	1	Width	490 mm
DVI port *	✗	Depth	380 mm
12V trigger	✓	Height	159 mm
AC (power) in	✓	Weight *	9.4 kg
Network		Packaging content	
Smart TV *	✗	Remote control included *	✓
Ethernet LAN *	✓	Remote control type	Wireless/Wired
Ethernet LAN (RJ-45) ports	1	Batteries included	✓
Storage		Cables included	AC
Card reader integrated *	✗	Quick start guide	✓
		Warranty card	✓
		Other features	
		RS-232 ports	1



4718755074325



0840046039400



840046039400

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.